#### THE

# Sportsman's Dictionary:

OR, THE

## Country Gentleman's Companion,

In all Rural

### RECREATIONS:

c.II and particular Instructions for

Presented by

Mr. John L. Cadwalader

eting, XC.

New York Public Library

B and

Large IMPROVEMENTS, made by feveral Gentlemen well experienced in the mobile Exercises.

Illustrated with near thirty Coffic R-PLATES, representing the different kinds of News, Browns, and Traps, that are made use of in taking all forts of Game,

#### VOL. II.

### LONDON:

Printed for C. HITCH, at the Red Lion, and C. DAVIS,. both in Pater-Noster-Row; and S. Austen, at the Angel and Bible in St Paul's Church-Yard.

M DCC XXXV.

Digitized by Google

# Sportsman's Dictionary:

OR, THE

## Country Gentleman's Companion,

In all Rural

## RECREATION'S:

With full and particular Inftructions for

HAWKING, HUNTING, FOWLING, SETTING, Fishing, Racing, Riding, Cocking.

With the Method of breeding, curing, dieting, and ordering of Horses, Dogs, Pigeons, Cocks, &c.

Extracted from the most celebrated English and French AUTHORS, Ancient, and Modern:

### WITH

Large IMPROVEMENTS, made by feveral Gentlemen well experienced in these noble Exercises.

Illustrated with near thirty Corpe k-Plates, representing the different kinds of News, Endounce; and Traps, that are made use of in taking all forts of Game.

### VOL. II.

### LONDON:

Printed for C. HITCH, at the Red Lion, and C. DAVIS, both in Pater-Noster-Row; and S. Austen, at the Angel and Bible in St Paul's Church-Yard.

M DCC XXXV.

Digitized by Google

of their nests, or when bad weather obliges them to keep to the pigeon-house. See PIGEON.

Tame PIGEONS; of these there are several species.

1. Runts, the largest kind of pigeons, called by the Italians, tronso; but these may again be distinguished into greater or smaller; those which are commonly called the Spanish runts are much esteemed, being the largest fort of pigeon, but are sluggish, and more slow of slight than the smaller forts of runts; but the smaller runts are better breeders, and quicker of slight, for which they are esteemed. As for the colours of their seathers, they are uncertain, so that a judgment cannot be made of the sort by them.

2. The next which makes the largest figure, but is not in reality the largest bird, is the *cropper*, so called, because they usually do, by attracting the air, blow up their crops to an extraordinary bigness, even so as to be sometimes as large as their bodies. This sort is the more valued according as it can swell

up it's crop to the larger fize.

The bodies of this fort are about the bigness of the smaller runt, but are somewhat more slender; this fort also is of va-

rious colours in the feathers.

3. The shakers; these are of two forts, viz. the broad tailed shaker, and the narrow tailed shaker: these are so called, because they are almost constantly wagging their heads and necks up and down; the broad are distinguished from the narrow, in that the broad tailed sort abounds with tail-seathers, about twenty-six in number; but the narrow tailed shakers have not so many.

These, when they walk, carry their tail-feathers and crest fpread abroad like a turky-cock; they have likewise a diversity

of feathers.

4. The jacobines, or cappers; which are so called on account of certain feathers which turn up about the back part of the head: Some of this sort are rough footed; they are short billed, the iris of their eye of a pearl colour, and the head is

commonly white.

5. The turbit, which some suppose to be a corruption of the word cortbeck, or curtbeke, as they are called by the Dutch, which seems to be derived of the French, court-bec, and signifies a short bill, for which this pigeon is remarkable; for the head is stat, and the seathers on the breast spread both ways. These are much of the same size with the jacobines.

6. The carriers, are pigeons so called from the use which is sometimes made of them in carrying of letters to and fro; certain it is that they are very nimble messengers, for some authors

athrn

affirm that it has been found by experience, that one of these pigeons will fly three miles in a minute, or from St. Albans to London in seven minutes; this they say has been tried by experiments.

We have an account of them passing and repassing with advices between *Hirtius* and *Brutus*, at the siege of *Modena*, who had, by laying meat for them in some high places, used their pigeons to sly from place to place for their meat, they

having before kept them hungry, and in a dark place.

These pigeons are about the fize of common pigeons, and of a dark blue, or blackish colour, which is one way of distinguishing them from other forts: they are also remarkable for having their eyes compassed about with a broad circle of naked spungy skin, and for having the upper chap of their beak covered more than half from the head, with a double crust of the like naked sungous body. The bill or beak is moderately long, and black.

These birds have this quality, that tho' they are carried many miles from the place where they are bred or brought up, or have themselves hatched or bred up any young ones, they will immediately return home as soon as they are let to fly.

When persons would use them for carriers, they must order

them after the following manner.

Two friends must agree to keep them, the one at London, and the other at Windsor, or at any other place; he that lives at Windsor must take two or three cocks or hens which were bred at his friend's at London, and the other two or three that were bred at Windsor: when the person at London has occasion to send any advice to his friend at Windsor, he must roll up a little piece of paper, and tie it gently with a small string passed through it, about the pigeon's neck.

But here you must remember, that the pigeons you design to send with a letter, must be kept pretty much in the dark, and without meat for eight or ten hours before they are turned out, and then they will rise and turn round till they have found their way, and continue their slight till they have got

home.

With two or three of these pigeons on each side, a correspondence might be carried on in a very expeditious manner,

especially in matters of curiosity, &c.

7. The Barbary pigeon, or barb, is another fort, whose bill is like that of the turbit, (i. e.) short and thick, having a broad and naked circle of a spungy white substance round about the eye, like that of the carrier pigeon; the iris of the eye is white, if the seathers of the pinion are inclinable to a darker G g 3 colour,

 $\mathsf{Digitized}\,\mathsf{by}\,Google$ 

colour, but is red if the feathers are white, as is observed in other birds.

8. Smiters, are pigeons supposed to be the same that the Dutch call drajers; this fort shake their wings as they sly, and rise commonly in a circular manner in their slight, the males, for the most part, rising higher than the females, and frequently falling and slabbing them with their wings, which makes a noise that may be heard a great way off, which often is the cause of their breaking or shattering their quill-feathers.

These very much resemble the tumbler pigeon, the difference chiefly is, that the tumbler is something smaller, and in it's flight will tumble itself backward over it's head; the diversity

of colours in the feathers makes no difference.

9. The helmet pigeon, is distinguished from the others, because it has the head, the quill-feathers and the tail-feathers, always of one colour, sometimes black, sometimes white, or red, or blue, or yellow, but the other feathers of the body are of a different colour.

10. The light horseman; this is supposed to be a cross strain, between a cock cropper and a hen of the carrier breed, because they seem to partake of both, as appears from the excrescence of slesh upon their bills, and the swelling of their crops; these are not inclined to leave the place of their birth, or the house that they have been used to.

Barbary pigeon; they have fhort bills, and are generally faid to have red eyes, tho' probably those coloured eyes belong only to

those that have white feathers.

12. There is a pigeon called the turner, which is faid to have a tuft of feathers hanging backwards on the head, which, Mr Ray fays, parts like a horse's mane.

13. There is also a pigeon of a smaller fort, called the finikin,

but in other respects like the former.

14. There is another pigeon called the spot, supposed, (and with judgment) to take it's name from a spot on the forehead, just above the bill, and the seathers of it's tail always of the same colour with the spots, and all the other seathers are white.

15. The mahimet, or mawmet pigeon, supposed to be brought from Turkey, which is singular for it's large black eyes, but the

other parts are like those of the Barbary pigeon.

To distinguish which are the males and semales among pigeons, it is chiefly known by the voice and cooing, the semales having a small weak voice, and the male a loud and deep voice.

The food which is generally given to pigeons is tares, but if fpurry feeds were mixed with them, or buck-wheat, those grains would

would forward their breeding; however, with only tares they may be expected to breed eight or nine times a year; but perhaps they seldom hatch above one at a time, tho' if they be

in full vigour they will breed a pair at one fitting.

In the feeding of pigeons, it is adviseable not to let them have more meat at one time than they can eat, because they are apt to tos it about and lose a great deal of it; so that the contrivance of filling a stone bottle with their meat, and placing the mouth downwards, so that it may come within an inch of a plain or table, will give a supply as they feed.

And something of the same method should be used about their water, by the bottle to be reversed with the mouth into a narrow shallow cistern; but they must by no means be without water, they being of themselves a dry bird, and subject to con-

tract dirt and fleas.

PIKE, a very long lived fish, according to Lord Bacon and Gesner, who say he out-lives all other sish, which is pity, as being an absolute tyrant of the fresh waters, as the salmon is the proper King thereof; the largest are the coarser food, and the smallest are always accounted best: this sish never swims in shoals, but rests by himself alone, being naturally very bold and daring, and will seize almost upon any thing, nay, will unnaturally devour his own kind: He breeds but once a-year, and spawns in February or March. The best sort is sound in rivers, the worst in meres and ponds. His common food is either pickerel-weed or frogs, or what sish he can get; and some say the said weed both feeds and breeds them.

PIKE-FISHING; there is two ways to take the pike, 1. By the ledger, and 2. By the walking-bait. The ledgerbait is fixed in one certain place, and may continue while the Angler is absent; this must be a live bait, of fish or frog; of fish, the best is a dace, roach, or perch; of frogs, the yellowest are best. In using the ledger-bait, if it be a fish, stick your hook through his upper lip, and then fastening it to a strong line, at least twelve or fourteen yards long, tie the other end of the line, either to some stake in the ground, or to the bough of a tree near the pike's usual haunt; which done, wind your line on a forked flick, big enough to keep the bait from drawing it under water, all except half a yard, or a little more; and your stick must have a small cleft at the end, into which fasten your line, but so, that when the pike comes, he may eafily draw it forth, and have line enough to go to his hold and pouch the bait.

But if the bait be a frog, put the arming-wire in at his mouth, and out at his gills, then with a fine needle and filk fow the upper part of his leg, with one stitch only, to your G g 4 arming-

Digitized by Google